

# **Contents**

1. About hiQview 2. Introduction to Founder & President of hiQview, Frank Sheu 3. Product Overview 4. Our Strengths 5. Business 6. Technologies 7. Solutions 8. Why hiQview



#### 1.1 Milestone

#### hiQview Corporation was established on May 25th, 2009 in Taipei, Taiwan

- Wireless 1.3-Megapixel CMOS Camera, HIQ-4550
- Central Management Software (CMS) manage 16 NVRs, 256 Channel Cameras

January,

2010

 8/16 Channel NVRs, HIQ-3008/HIQ-3016

July,

2010

 2-Megapixel Outdoor IR-40M Weather Proof Bullet IP Camera, HIQ-6281

August, 2009

May 25th, 2009

 "hiQview Corporation" was established in Taipei, Taiwan

009 October,

 D1 CCD H.264 Pan / Tilt Zoom Camera, HIQ-7330

2009

• 1 Channel H.264 Video Server, HIQ-1100 April, 2010

• 4 Channel NVR, HIQ-3004

October, 2010

- 2-Megapixel Outdoor Bullet IP Camera, HIQ-6283
- 2-Megapixel Outdoor Vandal Proof Dome IP Camera, HIQ-5284

January, 2011

March, 2011

2-Megapixel H.264 360°
 Panorama Dome Camera,
 HIQ-5286



#### 1.1 Milestone

- Full HD Low Temperature Outdoor Vandal Proof Dome IP Camera, HIQ-5384
- 4/8/16 Channel Embedded NVR (HIQ-3604 / HIQ-3608 / HIQ-3616 / HIQ-3716)

- Full HD Mini Vandal Proof Dome IP Camera, HIQ-5373
- 5-Megapixel Outdoor Bullet IP Camera, HIQ-6583

March,

2013

• IR-50M Full HD Outdoor Weather Proof Bullet IP Camera, HIQ-6384

October,

2013

- \* IR Distance: 50 meters, 56 pcs IR LED
- 5-Megapixel Outdoor IR-15M Vandal Proof Dome IP Camera, HIQ-5583
  - \* Digital Wide Dynamic Range (D-WDR)

October, 2012

May, 2012

• Full HD 1920 x 1080 Outdoor **Bullet Camera, HIQ-6388** 

January, 2013

- 3-Megapixel Outdoor Bullet IP Camera, HIQ-6483
- 64 Channel free bundle VMS software, hiQview Vision

September, 2013

- Economical Full HD Outdoor **IR-15M Weather Proof IP** Camera, HIQ-6386
  - \* IP66 Weather-Proof for outdoor application

January, 2014

- 360° Panorama 5-Megapixel Dome IP Camera, HIQ-5573
  - \* The 360° & 180° panorama camera can replace multiple cameras

February, 2014





#### 1.1 Milestone

- Motorized 3X Optical Zoom 5-Megapixel Outdoor IR-25M Weather Proof bullet IP Camera, HIQ-6587
  - \* Motorized 5-Megapixel 3X Optical Zoom
  - \* Digital Wide Dynamic Range (D-WDR)
  - \* 3D and 2D Digital Noise Reduction (DNR)

May, 2014

- Motorized 10X Optical Zoom Full HD Outdoor IR-30M Weather Proof Bullet IP Camera, HIQ-6391
  - \* Motorized 10X Optical Zoom and 4X Digital Zoom
  - \* Support Smart focus / Auto focus / Step focus

 Motorized Mini Pan/Tilt /3X Optical Zoom Full HD Outdoor PTZ IP Camera, HIQ-7386

- \* Motorized Pan/ Tilt/ 3X Optical Zoom
- \* 1/2.8 Sony CMOS sensor

November, 2014

March, 2015

March, **2014** 

- Motorized Mini Pan / Tilt IR-10M Full HD Dome IP Camera , HIQ-5382
- \* Palm-sized and stylish design
- \* Auto tracking for moving objects

August, 2014

- 60fps 1080p Outdoor Dome IP Camera HIQ-5387
- \* High Frame Rate of 60 FPS (Frames Per Second)
- \* 1/2.8" Sony Exmor for CMOS Sensor

January, 2015

- Motorized 4.2X Optical Zoom Full HD Outdoor Vandal Proof Dome IP Camera, HIQ-5389
  - \* Motorized 4.2X Optical Zoom
  - \* Sense Up Adjustable



200

#### 1.1 Milestone

- Speed Dome 18X Optical Zoom Outdoor Full HD IP Camera, HIQ-7390
- \* 18X Optical Zoom
- \* 360° Continuous Pan and 180° Tilt
- \* 4.7 ~ 84.6mm @ F1.6 ~ F2.8 Vari-Focal lens

 4-Megapixel Outdoor Vandal Proof Dome IP Camera, HIQ-5484

 4-Megapixel Outdoor Weather Proof Bullet IP Camera, HIQ-6485

September, 2015

May, 2015

April, 2015

- Low Temperature Full HD Outdoor IR-15M Vandal Proof Dome IP Camera, HIQ-5390
  - \* Operating temperature
  - -30 $^{\circ}$ C ~ 50 $^{\circ}$ C (- 22 $^{\circ}$ F ~ 122 $^{\circ}$ F) with heater
  - \* Digital Wide Dynamic Range (D-WDR)
  - \* 3D and 2D Digital Noise Reduction (DNR)

June, 2015

- Local Display 16 Channel Network Video Recorder, HIQ-3216
  - \* Dual monitors support in VGA/HDMI
  - \* Local display output: MJPEG, H.264
  - \* Recording and & Local display frame rate: 480fps@ 1080p, 3Mbps/CH, total 16CH

October, 2015

- Speed Dome 18X Optical Zoom Full HD IP Camera, HIQ-7389
- \* 18X Optical Zoom
- \* 360° Continuous Pan/ Tilt: 0°~90° auto flip
- \* 4.7 ~ 84.6mm @ F1.6 ~ F2.8 Vari-Focal lens




#### 1.2 Overview

#### hiQview Corporation is an IP surveillance company.

Our company stands out in the IP surveillance field with state-of-the-art R&D technology, innovative production design, excellent implementation ability, and long-term experience in global brand marketing. hiQview Corporation is progressively expanding our marketing system around the world.





# 1.3 Mission statement

To safeguard our loved ones and valued properties, hiQview is dedicated to offering the latest IP surveillance

solutions at a reasonable price.



# 1.4 Company Philosophy



hiQview continues to connect with global markets through different channels, to understand local needs, and to customize our products and services accordingly.



# **Integrity**

Integrity is the cornerstone of our company. At hiQview, we take it seriously and make steadfast commitment to our customers and ourselves. We are keen to preserve our ethical as well as product integrity.

### **Innovation**

Our continual commitment to R&D and the satisfaction of our customers are key factors to the success of hiQview.



# 2. Introduction to Founder & President of hiQview, Frank Sheu

Frank Sheu has worked in 3C Industry (Computer, Communication and Consumer Electronic) for over 30 years.



#### **Background:**

- President of Networking Business Unit, in ASUSTek Computer Inc.
- Director of Product Marketing Department for the global market, in D-Link Corporation
- Director of Brand Business Department for the global market, in KYE System Corporation ("Genius" brand)

#### **Education:**

- Master Degree of Computer Science, Florida Institute of Technology, in USA
- Master Degree of Electrical Engineering, Florida Institute of Technology, in USA



In our current product lines, our company has 36 IP cameras, 5 NVRs, Video Management System, and Central Management System.

The followings are our representative and suggested products for your company.

For more information about our products, please visit our company website: www.hiqview.com

#### 3.1 IP cameras

#### The variety of IP Cameras

- **Resolutions**: 5-Megapixel ~ 2-Megapixel, Full HD, HD
- Various types: Speed Dome, Bullet, Dome, Box, Cube, PT (Pan and Tilt), PTZ (Pan, Tilt, and Zoom), 360°Panorama
- Robust camera protection: vandal Proof, weather-proof (IP66 and IP67)
- Wiring and power alternatives: wired / wireless / PoE



#### 3.1 IP cameras

#### **Unique IP camera functions**

- Motorized Optical Zoom: Smart Focus System
- **High Frames Per Second:** 60fps
- Scene Analytics: Face & Tampering Detection, and Digital Image Stabilization(DIS)
- Low light performance: Min. Scene Illumination Color: 0.01 Lux (AGC ON),

Black / White: 0.005 Lux (AGC ON)

• WDR (Wide Dynamic Range):

Clear images even under both very bright and very dark areas simultaneously in the field of view of the camera.

DNR (Digital Noise Reduction):

Remove noises and produce clear images.

- Sustain to low temperature -40°C (- 40°F)
- Free bundled 64-channel recording software "hiQview Vision"



#### 3.1 IP cameras

For more product comparison information, please visit http://www.hiqview.com/pro/index.php?cid=119



#### HIQ-7389: Speed Dome 18X Optical Zoom Full HD IP Camera

- \* 1/2.8" 2M Type Exmor CMOS Sensor
- \* 18X Optical Zoom
- \* 360° Continuous Pan/ Tilt: 0°~90° auto flip
- \* Full HD 30 fps @ 1080p real-time
- \* Digital Wide Dynamic Range (D-WDR)
- \* Digital Noise Reduction (DNR)

- \* -10°C ~ 50°C Temperature Range for Weather Conditions
- \* 4.7 ~ 84.6mm @ F1.6 ~ F2.8 Vari-Focal lens
- \* Mechanism IR Cut filter for day / night function
- \* Support 2-way audio
- \* Power over Ethernet



#### 3.1 IP cameras

For more product comparison information, please visit http://www.hiqview.com/pro/index.php?cid=119



#### HIQ-7390: Speed Dome 18X Optical Zoom Outdoor Full HD IP Camera

- \* 1/2.8" 2M Type Exmor CMOS Sensor
- \* 18X Optical Zoom
- \* 360° Continuous Pan and 180° Tilt
- \* Full HD 30 fps @ 1080p real-time
- \* Digital Wide Dynamic Range (D-WDR)
- \* Digital Noise Reduction (DNR)

- \* -20°C ~ 60°C Temperature Range for Weather Conditions
- \* 4.7 ~ 84.6mm @ F1.6 ~ F2.8 Vari-Focal lens
- \* Mechanism IR Cut filter for day / night function
- \* IP66 Weather-Proof for outdoor application
- \* Support Vandal Proof
- \* Power over Ethernet



#### 3.1 IP cameras

For more product comparison information, please visit http://www.hiqview.com/pro/index.php?cid=119



#### HIQ-6391: Motorized 10X Optical Zoom Full HD Outdoor IR-30M Weather Proof Bullet IP Camera

- \* Support Motorized 10X Optical Zoom and 4X Digital Zoom
- \* Support Smart focus / Auto focus / Step focus
- \* Max. resolution: 1920 x 1080 (2-Megapixel)
- \* 4.9~ 49mm, 10X Optical Zoom Lens @F1.8~3.0
- \* Up to 30 fps @ 1920 x 1080 (2-Megapixel)
- \* Mechanism IR Cut filter for day / night function

- \* Wide Dynamic Range (WDR)
- \* 3D Digital Noise Reduction (DNR)
- \* Auto Iris, Low lux mode and Exposure Contro
- \* IP66 Weather-Proof for outdoor application
- \* Power over Ethernet



#### 3.1 IP cameras

For more product comparison information, please visit http://www.hiqview.com/pro/index.php?cid=119



#### HIQ-6485: 4-Megapixel Outdoor Weather Proof Bullet IP Camera

- \* Max. resolution: 2688 X 1520(4-Megapixel)
- \* 1/3" Megapixel CMOS sensor
- \* IR Distance: 20M, 28 units, 850nM
- \* 3.6mm @ F2.1 Fixed lens
- \* Min. Scene Illumination Color: 0.15 Lux (AGC on)
  - B/W: 0.08 Lux (AGC on)

- \* Mechanism IR Cut filter for day / night function
- \* Digital Wide Dynamic Range (D-WDR)
- \* Digital Noise Reduction (DNR)
- \* IP66 Weather-Proof for outdoor application
- \* Power over Ethernet



#### 3.1 IP cameras

For more product comparison information, please visit http://www.hiqview.com/pro/index.php?cid=119



#### HIQ-5484: 4-Megapixel Outdoor Vandal Proof Dome IP Camera

- \* Max. resolution: 2688 X 1520(4-Megapixel)
- \* 1/3" Megapixel CMOS sensor
- \* IR Distance: 20M, 12 Units 5φ + 2 Units High Power, 850nM
- \* 2.8-12mm @F1.4 Vari-Focal lens
- \* Min. Scene Illumination Color: 0.08 Lux (AGC on)

B/W: 0.03 Lux (AGC on)

- \* Mechanism IR Cut filter for day / night function
- \* Digital Wide Dynamic Range (D-WDR)
- \* Digital Noise Reduction (DNR)
- \* IP66 Weather-Proof for outdoor application
- \* Support Vandal Proof IK10
- \* Power over Ethernet



#### 3.1 IP cameras

For more product comparison information, please visit http://www.hiqview.com/pro/index.php?cid=119



#### HIQ-5387: 60fps 1080p Outdoor IR-20M Vandal Proof Dome IP Camera

- \* 1/2.8" Sony Exmor for CMOS Sensor
- \* High Frame Rate of 60 FPS (Frames Per Second)
- \* Min. Scene Illumination Color: 0.01 Lux (AGC ON)

**B/W: 0.005 Lux (AGC ON)** 


- \* Scene Analytics: Face Detection, Tampering Detection, and Digital Image Stabilization(DIS)
- \* H.264 (High/ Main/ Baseline Profile)/ M-JPEG Video Codec

- \* Digital Wide Dynamic Range (D-WDR)
- \* 3D and 2D Digital Noise Reduction (DNR)
- \* 3~9mm F1.8 vari-focal lens
- \* IR Distance: 20M, 18 pcs IR LED
- \* IP66 Weather-Proof for outdoor
- \* Support IK10 Vandal-Proof
- \* Power over Ethernet



#### 3.1 IP cameras

For more product comparison information, please visit http://www.hiqview.com/pro/index.php?cid=119



#### HIQ-5389: Motorized 4.2X Optical Zoom Full HD Outdoor Vandal Proof Dome IP Camera

- \* Motorized 4.2X Optical Zoom
- \* Max resolution: 1920 X 1080 (2-Megapixel)
- \* Full HD 30 fps @ 1080p real-time
- \* Sense Up Adjustable
- \* Day & Night Switch Time Control Manfully
- \* Digital Wide Dynamic Range (D-WDR)
- \* 3D and 2D Digital Noise Reduction (DNR)

- \* Min. Scene Illumination Color: 0.05 Lux (AGC ON)
  - B/W: 0.01 Lux (AGC ON)
- \* 2.8-12 mm F1.4 Vari-Focal lens
- \* Mechanism IR Cut filter for day / night function
- \* IP66 Weather-Proof for outdoor
- \* Power over Ethernet



#### 3.1 IP cameras

For more product comparison information, please visit http://www.hiqview.com/pro/index.php?cid=119



#### HIQ-5382: Motorized Mini Pan / Tilt IR-10M Full HD Dome IP Camera

- \* Max. resolution: 1920 X 1080
- \* Full HD 30 fps @ 1080p real-time
- \* Palm-sized and stylish design
- \* Remote Pan: 200°(-100°~100°), Tilt: 70°(20°~ 90°)
- \* Remote Max. Pan speed: 66°/sec, Max. Tilt speed: 70°/sec
- \* 4.0mm F2.0 fixed lens

- \* IR distance: 10 meters, built in 19 pcs IR LEDs
- \* Mechanism IR cut filter and auto light sensor for day and night monitoring
- \* Auto tracking for moving objects
- \* Digital Wide Dynamic Range (D-WDR)
- \* Power over Ethernet



#### 3.1 IP cameras

For more product comparison information, please visit http://www.hiqview.com/pro/index.php?cid=119



#### HIQ-7386: Motorized Mini Pan/Tilt /3X Optical Zoom Full HD Outdoor PTZ IP Camera

- \* 1/2.8 Sony CMOS sensor IMX222 2 Megapixel CMOS sensor
- \* Max. resolution: 1920X1080
- \* Full HD 30 fps @ 1080p real-time
- \* H.264 / JPEG / MPEG-4 multi-streaming
- \* Remote Pan: Rang 250°, Tilt: Range 75°
- \* Support auto tracking function & multi direction movement
- \* 3X optical zoom lens, auto iris, auto focus

- \* 3mm ~ 9mm F1.8 lens
- \* IR Distance: 15~20 M
- \* IP66 Weather-Proof for outdoor
- \* Support Vandal Proof
- \* Power over Ethernet



#### 3.1 IP cameras

For more product comparison information, please visit http://www.hiqview.com/pro/index.php?cid=119



#### HIQ-5390: Low Temperature Full HD Outdoor IR-15M Vandal Proof Dome IP Camera

- \* Operating temperature -30 $^{\circ}$ C ~ 50 $^{\circ}$ C (- 22 $^{\circ}$ F ~ 122 $^{\circ}$ F) with heater
- \* Max resolution: 1920 X 1080 (2-Megapixel)
- \* Full HD 30 fps @ 1080p real-time
- \* Digital Wide Dynamic Range (D-WDR)
- \* 3D and 2D Digital Noise Reduction (DNR)
- \* Min. Scene Illumination Color: 0.05 Lux (AGC ON)

B/W: 0.01 Lux (AGC ON)

- \* IR Distance: 15M, 18 pcs IR LED
- \* 3~9mm F1.8 Vari-Focal lens
- \* Mechanism IR Cut filter for day & night
- \* IP66 Weather-Proof for outdoor
- \* Support IK10 Vandal Proof
- \* Power over Ethernet



#### 3.1 IP cameras

For more product comparison information, please visit http://www.hiqview.com/pro/index.php?cid=119

#### The advantages of PTZ IP cameras:

#### Monitor large areas

Comparing with fixed cameras, PTZ IP cameras can be panned and tilted to cover bigger areas.

#### Cost down

The coverage of one PTZ camera equals to that of several non-PTZ cameras, thus the cost is reduced.

#### Capture your interested area

Set up the tours (patterns) for PTZ IP camera in advance, and PTZ IP camera will follow the tours to move. For example, according to your setting, every minute, the PTZ IP camera can capture images from the front door, the gate, to the parking lot.

#### Movie-like PT demos

People love the way they can control PTZ IP cameras like filming a movie, which is exiting.



# 3.2 hiQview NVR (Network Video Recorder)

#### **Unique NVR functions**

- Manage up to 4 / 8 / 16 Network Cameras
- Support resolutions: 5MP / 3MP / 2MP / Full HD / Megapixel / D1 / CIF / QCIF
- Recording throughput: 80Mbps
- Dual monitors and local display supports in VGA/HDMI
- High quality live / playback video
- 4 channel / 16 channel synchronous playback
- Export playback videos to AVI
- E-map and Google Map event alert
- Mobile devices remote monitoring
- Bundled with Free 256CH CMS Software



# 3.2 hiQview NVR (Network Video Recorder)

For more product comparison information, please visit http://www.hiqview.com/pro/index.php?cid=119



#### HIQ-3216: Local Display 16 Channel Network Video Recorder

- \* Dual monitors support in VGA/HDMI
- \* Local display output: MJPEG, H.264
- (1) Support 5Mp
- (2) 120fps@1080p
- (3) 270fps@720p
- (4) 480fps@D1

- \* Support resolution: 5MP/3MP/1080P/720P/FD1/CIF/QCIF
- \* Manage up to 16 Full HD IP Cameras
- \* 16CH live view & 4CH playback
- \* Support max. storage 8TB (4TB X 2)
- \* Bundled with FREE CMS
- \* Recording and & Local display frame rate: 480fps@ 1080p, 3Mbps/CH, total 16CH



# 3.2 hiQview NVR (Network Video Recorder)

For more product comparison information, please visit http://www.hiqview.com/pro/index.php?cid=119



#### HIQ-3616: 16 Channel Network Video Recorder

- \* Recording Throughput: 80Mbps
- \* Support resolution: 5MP/3MP/2MP/Full HD/MegaPixel
- \* Pure web-based administration
- \* 240 fps @ 2MP (H.264) or 480 fps @ 1.3MP (H.264)
- \* Support max. storage 8TB (4TB X 2)

- \* High quality Live/Playback video
- \* 4 channels synchronous playback
- \* Export Playback videos to AVI
- \* E-map and Google Map event alert
- \* Mobile devices remote monitoring
- \* Bundled with FREE CMS




# 3.3 Management Softwares

(1) hiQview Vision (Video Management System)



It is a powerful and intelligent "Video Management System" to control up to 64 IP cameras.





### 3.3 Management Softwares

### (1) hiQview Vision (Video Management System)

hiQview vision is an intelligent and powerful management system:

### **Unique hiQview Vision functions**

•Manage numerous IP cameras at a time

Powerful auto search

High resolution

Support multiple monitors

Precise motion detection

•E-Map monitoring

•Surveillance work goes on anywhere, anytime

•Live video & Playback

Mobile surveillance




#### 3.3 Management Softwares

(2) hiQview CMS (Central Management System)



One hiQview CMS controls 16 NVRs to manage 256 IP cameras.





### 3.3 Management Softwares

### (2) hiQview CMS (Central Management System)

hiQview CMS is designed specifically for hiQview NVRs. Advanced intelligent video analysis provided by hiQview CMS helps the user to react immediately to specific events.

#### **Unique CMS functions**

- Central Management System controls 16 NVRs
- Support maximum 256 channels
- Intelligent video analysis
  - ✓ Smart Motion Detection
  - ✓ Tripwire
  - ✓ Object Loss Detection
  - ✓ Camera Tampering Detection
  - ✓ Image Enhancement

- Support AVI export
- Multi-screen management
- E-Map monitor for live videos display on map
- PTZ functions
  - ✓ Mouse-over-Video PTZ
  - ✓ Virtual PTZ Panel
  - ✓ Digital PTZ



# 4. Our Strengths



#### 4.1 Powerful and unique product lines

The complete hiQview product line includes 36 IP cameras, 5 NVRs.

You may see the detailed information in the following pages.

#### 4.2 Professional after-sales service

After-sales service including professional technical support and project consulting are provided to help you to win projects.

#### 4.3 Excellent quality

hiQview products are designed and made in Taiwan, a country well-known for its prosperous IT/Communications/Electronic industries. Every product goes through stringent tests in our factory to ensure the quality.



# 4. Our Strengths

#### 4.4 Affordable price and high C/P (Cost/Performance) ratio

hiQview dedicates in R&D and manufacturing deeply to create unique product features such as 360° Panorama, 60FPS, Pan/Tilt/ Zoom, WDR, DNR, light sensitivity, low temperature endurance, weather proof IP66 & IP67, and vandal proof, etc. Together with the affordable price, hiQview products are guaranteed to be high C/P ratio.

#### 4.5 Our sincerity and professional ability for cooperation

IP surveillance industry keeps booming and has great potentials to develop businesses. hiQview has run the business of IP surveillance for near 6 years. Based on our professional R&D, manufacturing and marketing, we strongly believe that we can support your company to achieve great success in the near future.



#### **5.1** Business Model

hiQview's business strategy is based on loyalty and longterm cooperation. We cooperate with our global partners by using indirect sales models. hiQview works in partnership with distributors and system integrators, and we ensure our partners a steady and credible business growth.





# **5.2** Territory

Through close cooperation with hiQview, our customers have created many new businesses through our high quality products and services.

Our business territory includes the

Our business territory includes the following countries:

(1) Asia: Thailand, Vietnam, Philippines, Japan, Korea, Kazakhstan

(2) Oceania: Australia

(3) Middle East: Syria, Lebanon, Kuwait

(4) Europe: Sweden, Denmark, Czech, Germany, Switzerland, France, The Netherlands, Armenia

(5) America: Jamaica, USA, Chile, Mexico

(6) Africa: Mauritius, Mali





### **5.3 Promotions**

(1) A&S website: http://www.asmag.com/

• We invest a lot of our marketing expenses in the home page of asmag.com for our branding promotions as follows:


**Homepage Banner Ads** 





**Product Insight** 








#### **5.3** Promotions


- (2) AR Media website: http://www.securityworldhotel.com/
  - In the home page of AR Media website, all global customers could see hiQview's latest product news as follows:






#### **5.3 Promotions**


- (3) Alibaba website: http://hiqview.en.alibaba.com/
- Everyday, around 2,000 visitors click our company products on Alibaba's website.





#### **5.3 Promotions**

- (4) Taiwan Trade website: <a href="http://www.taiwantrade.com.tw/hiqview/home/en\_US">http://www.taiwantrade.com.tw/hiqview/home/en\_US</a>
- Our company has the long-term paying membership on the Taiwan Trade website.





#### **5.3 Promotions**

#### (5) EDM (Electronic Direct Mail)

Using the database of A&S magazine, A&S sent our company EDM to 50,084 customers worldwide.



#### (6) Magazine Advertisement Taiwan Products, Electronics (Volume 45 No.1, 2015~2016, Page 35) hiQview HIQVIEW CORPORATION A Bright View to Security hiQview Corporation is an IP surveillance company. Our company outstands in the IP surveillance field with state-of-the-art R&D technology, innovative product design, excellent implementation ability, and the long-term experience in global brand marketing. hiQview Corporation is progressively expanding our business around the whole world. Our complete IF surveillance solutions include: Network Video Recorder (NVR) Central Management System (CMS) **Products** HIQ-3816 HIQ-6587 60fps 1080p Outdoor IR-20M Vandal Proof Dome IP Camera HIQ-6583 Full HD IR-10M Pan Tilt Dome IP Camera Full HD Outdoor IR 25 Meter IP Camera, - 40°C~50°C (- 40°F ~ 122°F ) with heate Full HD Pan / Tilt Vando Proof Speed Dome IP Camera For more product information, please visit our website at http://www.hiqview.co 2F., No.282, Sec. 6, Zhongxiao E. Rd., Nangang Dist. Taipei City 115, Taiwan

TEL: +886-2-2653-8398 FAX: +886-2-2653-8336 Technical Support: tech@hiqview.com

Marketing: marketing@higview.com



# 6. Technologies

Our company has invested a lot of money in our R&D and we have created many excellent technologies as follows:





### 7. Solutions

#### 7.1 hiQview - Your best IP Surveillance Solutions

hiQview IP Surveillance Solutions have innovative features that can be applied to a broad range of applications and to different industrial projects. Our solutions can be easily deployed in all kinds of environments, including wired, wireless, indoor, and outdoor as well as harsh and complicated conditions.







**Banking and Finance** 



Transportation



Government



Retail



Healthcare



Industry




Prevention of Natural Disasters



### 7. Solutions

# 7.2 One of hiQview IP surveillance solutions (Banking and Finance).

For more hiQview IP surveillance solutions, please visit http://www.hiqview.com/sol/detail.php?id=7



# 8. Why hiQview

We are committed to supporting our customers to become winners in the market:

#### **Small trial orders**

If you are our new customers, our company supports small trial orders. We suggest that you try different samples of our IP cameras with NVRs.



# Complete IP surveillance solutions

Our IP cameras, NVRs, and CMS form complete IP surveillance solutions. Our products are based on the study of user experience, so you will find it easy to use.



# Highest Quality Products

Based on our reliable design and strict quality control system, our products can be applied to very complicated and harsh environments.



# 8. Why hiQview

#### Full Technical Support

hiQview has wide experience in Networking, IP Cameras, NVRs, CMS, Optics, and mechanism, so we offer environmental analysis and professional technical support to our customers.

Professional Marketing Materials
hiQview provides a promotional kit
to help our customers to sell our
products easily.

# Steady and Credible Business Growth

Besides providing excellent products and services, we always try our best to reduce channel conflict for local customers in the same market to protect their benefits.





